

ZENPERT 4D200 Series



PRINTER MODEL	4D200	4D300
RESOLUTION	8 DOTS/MM (203 DPI)	12 DOTS/MM (300 DPI)
PRINTING METHOD	DIRECT THERMAL	
MAX. PRINT SPEED	152.4 MM (6" /SECOND)	102 MM (4" /SECOND)
MAX. PRINT WIDTH	108 MM (4.25 ")	105.7 MM (4.16 ")
MAX. PRINT LENGTH	2,286 MM (90 ")	2,286 MM (90 ")
ENCLOSURE	ABS PLASTIC	

PRINTER LANGUAGE	TSPL-EZD(COMPATIBLE WITH EPL, ZPL, ZPL II, DPL)
MEDIA TYPE	CONTINUOUS, DIE-CUT, NOTCHED, FAN-FOLD (OUTSIDE WOUND)
MEDIA WIDTH	19 ~ 114 MM (0.7 “ ~ 4.5 “)
MEDIA THICKNESS	0.055 ~ 0.19 MM (2.16 ~ 7.48 MIL)
MEDIA CORE DIAMETER	25.4 ~ 38 MM (1” ~ 1.5”)
LABEL LENGTH	10 ~ 2,286 MM (0.39 “ ~ 90 “)
ENVIRONMENT CONDITION	OPERATION: 5 ~ 40° C, 25 ~ 85% NON-CONDENSING STORAGE: -40 ~ 60° C, 10 ~ 90% NON-CONDENSING
SAFETY REGULATION	BIS, CCC, ENERGY STAR®
ENVIRONMENTAL CONCERN	COMPLY WITH ROHS, REACH, WEEE
ACCESSORIES	<ul style="list-style-type: none"> • QUICK START GUIDE • USB CABLE • POWER CORD • INTERNAL BLUETOOTH 4.0
FACTORY OPTION	<ul style="list-style-type: none"> • EXTERNAL ROLL MOUNT, MEDIA OD. 214 MM (8.4”) WITH 76.2 MM (3”) CORE
USER OPTION	<ul style="list-style-type: none"> • 1.5 “ CORE ADAPTERS

MINDWARE

**S -4, Plot No-7, Pocket-7, Pankaj Plaza,
Near Metro Station, Sector-12,
Dwarka, New Delhi-110078, (India)**

+91-11-46102688 DIRECT LINE

Phones: +91-11-28032434, +91-11-46102688, +91-9810822688, +91-9717122688

**Email: gm@indianbarcode.com
Website: www.indianbarcode.com**